

Digital Engineering Effectiveness for Cyber-Physical Systems

Fred Schenker, Bill Nichols - SEI

Tyler Smith, Adventium Labs

Software Engineering Institute Carnegie Mellon University Pittsburgh, PA 15213



Document Markings

Copyright 2022 Carnegie Mellon University and Adventium Labs

This material is based upon work funded and supported by the U.S. Army Combat Capabilities Development Command Aviation & Missile Center under Contract No. FA8702-15-D-0002 with Carnegie Mellon University for the operation of the Software Engineering Institute, a federally funded research and development center.

This material is based upon work supported by the U.S. Army Combat Capabilities Development Command Aviation & Missile Center under contract no. W911W6-17-D-0003/W911W621F703A with Adventium Enterprises, LLC d.b.a. Adventium Labs.

Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of U.S. Army Combat Capabilities Development Command Aviation & Missile Center.

NO WARRANTY. THIS CARNEGIE MELLON UNIVERSITY, SOFTWARE ENGINEERING INSTITUTE, AND ADVENTIUM LABS MATERIAL IS FURNISHED ON AN "AS-IS" BASIS. CARNEGIE MELLON UNIVERSITY AND ADVENTIUM LABS MAKES NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, AS TO ANY MATTER INCLUDING, BUT NOT LIMITED TO, WARRANTY OF FITNESS FOR PURPOSE OR MERCHANTABILITY, EXCLUSIVITY, OR RESULTS OBTAINED FROM USE OF THE MATERIAL. CARNEGIE MELLON UNIVERSITY AND ADVENTIUM LABS DOES NOT MAKE ANY WARRANTY OF ANY KIND WITH RESPECT TO FREEDOM FROM PATENT, TRADEMARK, OR COPYRIGHT INFRINGEMENT.

[DISTRIBUTION STATEMENT A] This material has been approved for public release and unlimited distribution. Please see Copyright notice for non-US Government use and distribution.

Internal use:* Permission to reproduce this material and to prepare derivative works from this material for internal use is granted, provided the copyright and "No Warranty" statements are included with all reproductions and derivative works.

External use:* This material may be reproduced in its entirety, without modification, and freely distributed in written or electronic form without requesting formal permission. Permission is required for any other external and/or commercial use. Requests for permission should be directed to the Software Engineering Institute at permission@sei.cmu.edu.

DM22-0404

Problem Statement

Digital Engineering (DE) has the potential to improve project outcomes (e.g., reduction of acquisition risk for cost and schedule) for cyber-physical systems (CPS) by enabling defect detection to "shift left".

"Shifting left" is enabled by developing new methods (e.g., model-based analysis) that discover important defects/issues earlier in the product lifecycle.

The benefits of DE have been clearly demonstrated in other domains (e.g., nuclear power system design). However, recent studies highlight the challenges of both implementing DE and measuring the DE process for CPSs.


There is no guarantee that applying DE methods early in the development lifecycle for CPSs and software will result in the improved likelihood of attaining stakeholders' goals.

We review research on Digital Engineering for Cyber-Physical Systems and recommend how to evaluate DE methods

Digital Engineering Examples

The landscape is littered with successful examples of how digital methods have improved legacy engineering practices:

- 1950s-60s: NASA Mariner program
- Paper \rightarrow 2D CAD \rightarrow 3D CAD
- Model-based analysis for mechanical engineering, electrical engineering, thermal
- Virtualization for maintenance




How do the DE practices improve legacy engineering practices??

- Early detection of defects and/or issues
- Feedback using the results of the model-based analyses to mature the design improves the quality of the design

Late Discovery of Defects/Issues Costs More

Gap Between Defect Origin and Discovery



Late Discovery Drives Qualification Cost

(Feiler, Goodenough, Gurfinkel, Weinstock, & Wrage, 2013)

When DE is applied effectively we should see a significant impact on when we find defects within the lifecycle

Lifecycle Phase	Injection %	Legacy Discovery %	DE Discovery %
Requirements			
System Design			
Software Architecture	70	3.5	65
Component Software Design			
Code Development	20	16	20
Unit Test	10	50.5	13
Integration Test	10	50.5	13
Acceptance Test		9	2
Post-Acceptance Test		20	0

Carnegie Mellon University Software Engineering Institute Digital Engineering Effectiveness © 2022 Carnegie Mellon University


Data from Army FVL JMR MSAD – Capstone

The Joint Multi-Role (JMR) Mission System Architecture Demonstration (MSAD) provided an environment to assess the effect of DE on an embedded computing system for a cyber-physical system

Raytheon, a JMR MSAD Capstone Performer, provided this Chart as part of their Capstone Lessons Learned Briefings (Raytheon and General Electric Aviation, 2020)

Note that:

- Increase in effort early in lifecycle (because more effort is being done earlier)
- Leads to overall reduction in effort (because we find the issues earlier)



Measuring Digital Engineering Effectiveness

Effective use of Digital Engineering is more about culture than it is about ROI. We can observe what happens, but not why it happens:

- What are the DE artifacts used for? Early assessment of design choices? V&V?
- What is actually modeled? Computing resources? Does the modeling process evolve with the design, i.e., from black boxes to white boxes?
- When a defect escapes detection, does the developer try to understand how it could have been found with their DE environment?


Measuring what we are accustomed to measuring (e.g., effort, schedule, quality) might not be effective

- Can the fidelity of the modeling effort be based only on the hours spent on modeling?
- We could measure model attributes (e.g., Has the model been reviewed?). Can this be used as an indicator of system quality at this point in the life cycle?
- Do you base the measure of quality on the number of defects found? Many organizations do not even count defects until after a "baseline" has occurred.

Effective use of DE will result in higher quality with less overall effort, but we must resist using self-fulfilling measures

Carnegie Mellon University Software Engineering Institute Digital Engineering Effectiveness © 2022 Carnegie Mellon University

Our Version of the "V" for Incorporating DE Practices



We believe that the DE system representation can mature, in a similar way to the physical system

- As design decisions are made, there is opportunity to improve the fidelity of the DE representation(s), and the analyses that verify and validate the approach
- The DE effort should be justified as part of program-wide risk mitigation
- DE should be focused on the system elements that pose the most challenges

All Cyber-Physical Systems have problems during system integration that can be mitigated with DE tools and methods

Carnegie Mellon University Software Engineering Institute © 2022 Carnegie Mellon University

Conclusions

DE is a major change for CPS development

Don't focus exclusively on quantitative measures. They can be skewed by a myriad of factors that are out of direct control. Instead, increase the usage of qualitative measures and be mindful that your measures do not become targets.

Identify the practices that distinguish an organization that is just "checking the DE boxes" from one that is building the DE culture into its development approach. These distinguishing practices include the following:

- Budgetary tolerance for up-front costs (i.e., a learning curve) when adopting DE methodology.
- Culture change will be necessary. There are proven methods for overcoming cultural resistance that should be considered as part of the planning for DE.
- Identify separate measures that show whether DE is being used (e.g., tighter feedback loops) from whether it is effective (higher product quality and avoiding cost and schedule overruns).
- Learn how to apply DE practices for maximum effect. Some problems may not be appropriate, some may not warrant the additional effort. Although initially the organization should err on the side of over-modeling, feedback control should indicate whether or not the effort is adding value.