

AADLModel and Analysis

Grace N Chrysilla

Software Engineer

06/02/2022

Not subject to U.S. Export Administration Regulations (EAR) (15 C.F.R. Parts 730-774) or U.S. International Traffic in Arms Regulations (ITAR), (22 C.F.R. Parts 120-130)

DISTRIBUTION STATEMENT A: Approved for public distribution; distribution is unlimited. This work was done under the U.S. Army Combat Capabilities Development Command Aviation & Missile Center Contract # W911W6-19-2-0003.



AADL Usage at Boeing


- Past demonstrations
 - Joint Common Architecture (JCA) demonstration
 - Mission Systems Architecture Demonstration (MSAD)
- Current implementation
 - Vertical Lift programs







AADL Model: High Level Architecture




Components:

- 1. Air vehicle system
- 2. External environment
- 3. Mission System





AADL Model: System Component




Components:

- Future Airborne Capability Environment (FACE[™]) Portable Component Segment (PCS)
- 2. FACE Transport Services Segment (TSS)
- 3. Processor






AADL Model: Software Component







AADL Model: End to End Flow



The end to end flow shows each software components interact with each other via FACE TSS





Analysis Covered by ACVIP

- Utilization Analysis (using Adventium's Framework for Analysis of Schedulability, Timing and Resources (FASTAR) from Adventium's Curated Access to Model-based Engineering Tools (CAMET))
- Bus Load Analysis
- Latency Analysis
- Static Consistency Analysis
- Exploring: Behavioral Consistency Analysis (using the State Linked Interface Compliance Engine for Data (SLICED) tool from Adventium's CAMET)
- Exploring: Reliability and Availability Analysis (using AADL Error Annex)





Lessons Learned

- State Linked Interface Compliance Engine for Data (SLICED) analysis discovered error in a PCS' properties: thread period is less than the deadline. SLICED perform all possible thread dispatch and found this issue.
- Adventium added capability to create composite states for SLICED analysis
- AADL Bridge should be utilized from the very start
- Adventium relaxed SysML modeling constraints so that AADL Profiles can be added to a wider SysML elements
- FACE message data size needs to be added manually for performing accurate Bus Load analysis





Q&A

